

## HyperSync® Results

### Nikon D800(E) + Elinchrom Ranger RX S-Head

#### HyperSync Only Enabled

#### Reduced Clipping

#### **IMAGES BEGIN ON THE NEXT PAGE!**

On the following pages you will find images generated using HyperSync® with the Nikon D800/D800E and the Elinchrom Ranger RX with S-Head. To achieve similar results, use the settings detailed below.

**Test Conditions:** These images were captured indoors, with the camera and flash positioned 6 ft (2 m) from a white wall. A standard reflector was used, but the light was otherwise unmodified. Your results may differ depending upon the position of your lights and ambient conditions.

**Transmitter Settings:** These images were generated using FlexTT5 Version 3.400 – results may change with future firmware releases.

1. Use a [Nikon MiniTT1](#) or [FlexTT5](#) updated to the latest firmware.
2. Enable “[HyperSync Only](#)” under the “[HyperSync/HSS](#)” tab.
3. All other transmitter settings may be left at their defaults.

**Receiver Settings:** These images were generated using [PowerST4](#) Version 5.400 – results may change with future firmware releases.

1. Use a [PowerST4](#) receiver updated to the latest firmware.
2. Set the “[Optimize HyperSync Automation For:](#)” control to “[Reduced Clipping](#)” under the “[HyperSync](#)” tab.
3. Set the “[Ranger RX Head Selection](#)” control to “S-Head” under the “[Misc](#)” tab.
4. All other receiver settings may be left at their defaults.

**Camera Settings:** The images in this document were captured using ISO 200 and f/11, at all camera shutter speeds. All other camera settings were factory defaults. Your results may differ depending on your camera settings and exposure.



NIKON D800E  
1/200 f/11



NIKON D800E  
1/250 f/11



NIKON D800E  
1/320 f/11



NIKON D800E  
1/400 f/11



NIKON D800E  
1/500 f/11




NIKON D800E  
1/640 f/11




NIKON D800E  
1/800 f/11




NIKON D800E  
1/1000 f/11



NIKON D800E  
1/1250 f/11




NIKON D800E  
1/1600 f/11




NIKON D800E  
1/2000 f/11




NIKON D800E  
1/2500 f/11




NIKON D800E  
1/3200 f/11




NIKON D800E  
1/4000 f/11



NIKON D800E  
1/5000 f/11




NIKON D800E  
1/6400 f/11



NIKON D800E  
1/8000 f/11


Nikon D800, Ranger RX, S Head, +3 (Full Power)  
HyperSync Only Enabled  
Optimize HyperSync Automation For: Reduced Clipping  
PDF Revision 1.1



NIKON D800E  
1/200 f/11



NIKON D800E  
1/250 f/11




NIKON D800E  
1/320 f/11



NIKON D800E  
1/400 f/11



NIKON D800E  
1/500 f/11




NIKON D800E  
1/640 f/11




NIKON D800E  
1/800 f/11




NIKON D800E  
1/1000 f/11




NIKON D800E  
1/1250 f/11




NIKON D800E  
1/1600 f/11




NIKON D800E  
1/2000 f/11



NIKON D800E  
1/2500 f/11



NIKON D800E  
1/3200 f/11



NIKON D800E  
1/4000 f/11



NIKON D800E  
1/5000 f/11



NIKON D800E  
1/6400 f/11



NIKON D800E  
1/8000 f/11

Nikon D800, Ranger RX, S Head, +2 (1/2 Power)  
HyperSync Only Enabled  
Optimize HyperSync Automation For: Reduced Clipping  
PDF Revision 1.1



NIKON D800E  
1/200 f/11



NIKON D800E  
1/250 f/11



NIKON D800E  
1/320 f/11




NIKON D800E  
1/400 f/11




NIKON D800E  
1/500 f/11



NIKON D800E  
1/640 f/11



NIKON D800E  
1/800 f/11



NIKON D800E  
1/1000 f/11



NIKON D800E  
1/1250 f/11



NIKON D800E  
1/1600 f/11



NIKON D800E  
1/2000 f/11



NIKON D800E  
1/2500 f/11



NIKON D800E  
1/3200 f/11



NIKON D800E  
1/4000 f/11



NIKON D800E  
1/5000 f/11



NIKON D800E  
1/6400 f/11



NIKON D800E  
1/8000 f/11

Nikon D800, Ranger RX, S Head, +1 (1/4 Power)  
HyperSync Only Enabled  
Optimize HyperSync Automation For: Reduced Clipping  
PDF Revision 1.1



NIKON D800E  
1/200 f/11



NIKON D800E  
1/250 f/11



NIKON D800E  
1/320 f/11



NIKON D800E  
1/400 f/11



NIKON D800E  
1/500 f/11



NIKON D800E  
1/640 f/11



NIKON D800E  
1/800 f/11



NIKON D800E  
1/1000 f/11



NIKON D800E  
1/1250 f/11



NIKON D800E  
1/1600 f/11



NIKON D800E  
1/2000 f/11



NIKON D800E  
1/2500 f/11



NIKON D800E  
1/3200 f/11




NIKON D800E  
1/4000 f/11



NIKON D800E  
1/5000 f/11




NIKON D800E  
1/6400 f/11




NIKON D800E  
1/8000 f/11

Nikon D800, Ranger RX, S Head, +0 (1/8 Power)  
HyperSync Only Enabled  
Optimize HyperSync Automation For: Reduced Clipping  
PDF Revision 1.1



NIKON D800E  
1/200 f/11



NIKON D800E  
1/250 f/11



NIKON D800E  
1/320 f/11



NIKON D800E  
1/400 f/11



NIKON D800E  
1/500 f/11



NIKON D800E  
1/640 f/11



NIKON D800E  
1/800 f/11



NIKON D800E  
1/1000 f/11




NIKON D800E  
1/1250 f/11




NIKON D800E  
1/1600 f/11




NIKON D800E  
1/2000 f/11




NIKON D800E  
1/2500 f/11




NIKON D800E  
1/3200 f/11




NIKON D800E  
1/4000 f/11



NIKON D800E  
1/5000 f/11



NIKON D800E  
1/6400 f/11



NIKON D800E  
1/8000 f/11

Nikon D800, Ranger RX, S Head, -1 (1/16 Power)  
HyperSync Only Enabled  
Optimize HyperSync Automation For: Reduced Clipping  
PDF Revision 1.1



NIKON D800E  
1/200 f/11



NIKON D800E  
1/250 f/11



NIKON D800E  
1/320 f/11



NIKON D800E  
1/400 f/11



NIKON D800E  
1/500 f/11



NIKON D800E  
1/640 f/11



NIKON D800E  
1/800 f/11




NIKON D800E  
1/1000 f/11



NIKON D800E  
1/1250 f/11




NIKON D800E  
1/1600 f/11




NIKON D800E  
1/2000 f/11




NIKON D800E  
1/2500 f/11




NIKON D800E  
1/3200 f/11




NIKON D800E  
1/4000 f/11



NIKON D800E  
1/5000 f/11



NIKON D800E  
1/6400 f/11



NIKON D800E  
1/8000 f/11

Nikon D800, Ranger RX, S Head, -2 (1/32 Power)  
HyperSync Only Enabled  
Optimize HyperSync Automation For: Reduced Clipping  
PDF Revision 1.1



NIKON D800E  
1/200 f/11



NIKON D800E  
1/250 f/11



NIKON D800E  
1/320 f/11



NIKON D800E  
1/400 f/11



NIKON D800E  
1/500 f/11




NIKON D800E  
1/640 f/11



NIKON D800E  
1/800 f/11




NIKON D800E  
1/1000 f/11



NIKON D800E  
1/1250 f/11




NIKON D800E  
1/1600 f/11



NIKON D800E  
1/2000 f/11



NIKON D800E  
1/2500 f/11



NIKON D800E  
1/3200 f/11



NIKON D800E  
1/4000 f/11



NIKON D800E  
1/5000 f/11



NIKON D800E  
1/6400 f/11



NIKON D800E  
1/8000 f/11

Nikon D800, Ranger RX, S Head, -3 (1/64 Power)  
HyperSync Only Enabled  
Optimize HyperSync Automation For: Reduced Clipping  
PDF Revision 1.1